

# RIVQUICK® Standard rivets

## Dome head

Note: stainless steel A2 body and stainless steel A2 mandrel

Technical information can be found on the last page.



Diameter (d)	Article number	d <sub>1</sub> nominal size	d <sub>2</sub> nominal size	Drilling diameter d nominal size	e	
					min.	max.
3	22033130060	3	6.3	3.1	1.0	3.0
	22133130080		6.5	3.1 - 3.2	3.0	5.0
	22133130100		6.5	3.1 - 3.2	5.0	7.0
	22133130120		6.5	3.1 - 3.2	7.0	8.5
3.2	22033132080	3.2	6	3.3 - 3.4	3.0	5.0
	22133132060		6.5	3.3 - 3.4	0.5	3.0
	22133132080		6.5	3.3 - 3.4	3.0	5.0
	22133132100		6.5	3.3 - 3.4	4.0	6.0
4	22133132120	4	6.5	3.3 - 3.4	6.0	8.0
	22033140060		8	4.1 - 4.2	1.0	2.5
	22033140080		8	4.1 - 4.2	2.5	4.5
	22033140100		8	4.1 - 4.2	4.5	6.5
	22033140130		8	4.1 - 4.2	7.5	9.5
	22033140160		8.4	4.1	10.0	12.0
	22133140060		8	4.1 - 4.2	1.0	3.0
	22133140080		8	4.1 - 4.2	2.0	4.5
4.8	22133140100	4.8	8	4.1 - 4.2	4.0	6.5
	22133140120		8	4.1 - 4.2	6.5	8.0
	22133140140		8	4.1 - 4.2	7.0	9.5
	22133140200		8	4.1 - 4.2	12.0	15.5
	22033148080		9.5	4.9 - 5.0	1.5	4.0
	22033148100		9.5	4.9 - 5.0	4.0	6.0
	22033148120		10.1	4.9	6.0	8.0
	22033148160		10.1	4.9	9.0	12.0
	22033148200		9.5	4.9 - 5.0	13.0	16.0
	22133148080		9.5	4.9 - 5.0	2.5	4.0
6.4	22133148100	6.4	9.5	4.9 - 5.0	4.0	6.0
	22133148140		9.5	4.9 - 5.0	7.5	10.0
	22133148180		9.5	4.9 - 5.0	11.5	14.0
	22133148200		9.5	4.9 - 5.0	13.5	16.0
	22133148240		9.5	4.9 - 5.0	15.0	19.5
	22033164120		13	6.5	3.0	6.0
	22133164150		13	6.5 - 6.7	6.5	10.0
	22133164180		13	6.5 - 6.7	9.5	13.0
22133164220	13	6.5 - 6.7	12.5	17.0		
22133164260	13	6.5 - 6.7	16.5	21.0		
22133164300	13	6.5 - 6.7	20.5	25.0		

Diameter (d)	Length (l) nominal size	Head thickness	Shear force (N)	Tensile force (N)
3	6	1.3	1900	2200
	8	0.9	1900	2100
	10	0.9	1900	2100
	12	0.9	1900	2100

All technical data refer to the measure mm



# RIVQUICK® Standard rivets


Dome head

Diameter (d)	Length (l) nominal size	Head thickness	Shear force (N)	Tensile force (N)
3.2	8	1.0	1900	2500
	6	0.9	1900	2400
	8	0.9	1900	2400
	10	0.9	1900	2400
	12	0.9	1900	2400
4	6	1.3	2900	3650
	8	1.3	2900	3650
	10	1.3	2900	3650
	13	1.3	2900	3650
	16	1.7	3100	4000
	6	1.2	3200	4000
	8	1.2	3200	4000
	10	1.2	3200	4000
	12	1.2	3200	4000
	14	1.2	3200	4000
4.8	20	1.2	3200	4000
	8	1.4	4230	5340
	10	1.4	4230	5340
	12	2.0	4600	5800
	16	2.0	4600	5800
	20	1.4	4230	5340
	8	1.4	4700	5800
	10	1.4	4700	5800
	14	1.4	4700	5800
	18	1.4	4700	5800
6.4	20	1.4	4700	5800
	24	1.4	4700	5800
	12	2.2	7500	9500
	15	2.0	7500	9500
	18	2.0	7500	9500
6.4	22	2.0	7500	9500
	26	2.0	7500	9500
	30	2.0	7500	9500

All technical data refer to the measure mm



### Symbol list



All technical data refer to the measure mm

